

# Ache Left Side Of Abdomen

Parathyroid disease Parathyroid diseases can be divided into those causing hyperparathyroidism, and those causing hypoparathyroidism. In Continuous ambulatory peritoneal dialysis (CAPD), the lining of the abdomen acts as a natural filter Many conditions are associated with disorders of the function of the parathyroid gland. Such benign disorders, such as parathyroid cyst, are not discussed here. is the surgical removal of the faulty gland. Some disorders may be purely anatomical resulting in an enlarged gland which will raise concern  
73c1254bca

== Signs and symptoms == 73c1254bca Unlike the nerves from the autonomic nervous system that innervate the visceral pleura of the thoracic cavity, the intercostal nerves arise from the somatic nervous system. This enables them to control the contraction of muscles, as well as provide specific sensory information regarding the skin and parietal pleura. This explains why damage to the internal wall of the thoracic cavity can be felt as... 73c1254bca == Birds == 73c1254bca The first two nerves supply fibers to the upper limb and thorax; the next four distribute to the walls of the thorax; the lower five supply the walls of the thorax and abdomen. The 7th intercostal nerve ends at the xiphoid process of the sternum. The 10th intercostal nerve terminates at the navel. The 12th (subcostal) thoracic is distributed to the walls of the abdomen and groin. Each of these fibers contains around 1300 axons. 73c1254bca Renal colic typically begins in the flank and often radiates to below the ribs or the groin. It typically comes in waves due to ureteric peristalsis, but... 73c1254bca Physical symptoms may... 73c1254bca Infection of a tumor or its surrounding tissue can cause rapidly escalating pain, but is sometimes overlooked as a possible cause. One study found that infection was the cause of pain in four percent of nearly 300 cancer patients referred for pain relief. Another report described seven patients, whose previously well-controlled pain escalated significantly over several days. Antibiotic treatment produced pain relief in all patients within three days. 73c1254bca Radiating pain is slightly different from referred pain; for example, the pain related to a myocardial infarction could either be referred or radiating pain from the chest. Referred pain is when the pain is located away from or adjacent to the organ involved; for instance, when a person has pain only in their jaw or left arm, but not in the chest. Radiating pain would have an origin, where the patient can perceive pain, but the pain also spreads ("radiates") out from this origin point to cause... 73c1254bca of one or both ureters from dislodged kidney

stones. The most frequent site of obstruction is at the vesico-ureteric junction (VUJ), the narrowest point of the upper urinary tract. Acute (sudden onset) obstruction of a ureter can result in urinary stasis – the disruption or cessation of urine flow into the bladder. This, in turn, can cause distention of the ureter, known as a hydroureter. The obstruction and distention of the ureter(s) results in reflexive peristaltic smooth muscle spasms or contractions, which then cause very intense and diffuse (widespread) visceral pain affecting the organs of the pelvis, abdomen and even the thoracic area. This intense, diffuse pain is transmitted via the ureteric plexus, a branching network of intersecting nerves that cover and innervate the ureters. 73c1254bca Treatment depends on the underlying cause. Paracetamol (acetaminophen) and ibuprofen may be used to decrease pain. Incentive spirometry may be... 73c1254bca == Infection == 73c1254bca

Causes of cancer pain The pain appears on the left or right upper abdomen, is constant, and increases in intensity over time. is near the hepatopancreatic ampulla. It is in Cancer pain can be caused by pressure on, or chemical stimulation of, specialised pain-signalling nerve endings called nociceptors (nociceptive pain), or by damage or illness affecting nerve fibers themselves (neuropathic pain) 73c1254bca

Varicocele asymptomatic, but some cause a dull ache or a feeling of heaviness in the scrotum. Varicoceles are the most common correctable cause of male infertility, found in A varicocele is an abnormal enlargement of the pampiniform venous plexus in the scrotum. The vessels originate in the abdomen and course down through the inguinal canal as part of the spermatic cord on their way to the testis. In males, this plexus of veins drains blood from the testicles back to the heart 73c1254bca

== Signs and symptoms == 73c1254bca == Comparison == 73c1254bca

Referred pain where pain is often felt in the left side of the neck, left shoulder, and back rather than in the thorax (chest), the site of the injury. Despite an increasing amount of literature on the subject, the biological mechanism of referred pain is unknown, although there are several hypotheses. The International Referred pain, also called reflective pain, is pain perceived at a location other than the site of the painful stimulus. An example is the case of angina pectoris brought on by a myocardial infarction (heart attack), where pain is often felt in the left side of the neck, left shoulder, and back rather than in the thorax (chest), the site of the injury. The International Association for the Study of Pain has not officially defined the term; hence, several authors have defined it differently. Referred pain has been described since the late 1880s 73c1254bca

The crossbill has an unusual beak in which the upper and lower tips cross each other. 73c1254bca severe abdominal pain that is spasmodic in nature. This pain is primarily caused by an obstruction 73c1254bca == Structure == 73c1254bca

Chest pain It can be divided into heart-related and non-heart-related pain. may include pain in the shoulder, arm, upper abdomen, or jaw, along with nausea, sweating, or shortness of breath. Associated symptoms may include pain in the shoulder, arm, upper abdomen, or jaw, along with nausea, sweating, or shortness of breath. Those with diabetes or the elderly may have less clear symptoms. It can be divided into heart-related Chest pain is pain or discomfort in the chest, typically the front of the chest. Pain due to insufficient blood flow to the heart is also called angina pectoris. It may be described as sharp, dull, pressure, heaviness or squeezing 73c1254bca

Serious and relatively common causes include acute coronary syndrome such as a heart attack (31%), pulmonary embolism (2%), pneumothorax, pericarditis (4%), aortic dissection (1%) and esophageal rupture. Other common causes include gastroesophageal reflux disease (30%), muscle or skeletal pain (28%), pneumonia (2%), shingles (0.5%), pleuritis, traumatic and anxiety disorders. Determining the cause of chest pain is based on a person's medical history, a physical exam and other medical tests. About 3% of heart attacks, however, are initially missed. 73c1254bca Management of chest pain is based on the underlying cause. Initial treatment often includes the medications aspirin and nitroglycerin. The response to... 73c1254bca

List of animals featuring external asymmetry A soft abdomen is This is a list of animals that markedly feature external asymmetry in some form. opening of the shell when it retracts inside. If a male fiddler loses its large claw, it grows another on the opposite side after molting. In particular, these animals do not exhibit bilateral symmetry, which permits streamlining and is common in animals. They are exceptions to the general pattern of symmetry in biology 73c1254bca

Many varicoceles are asymptomatic, but some cause a dull ache or a feeling of heaviness in the scrotum. Varicoceles are the most common correctable cause of male infertility, found in approximately 35–44% of men with primary infertility. They are also increasingly recognized as a cause of reduced testicular endocrine function, including lower testosterone levels (hypogonadism). Varicoceles occur in around 15% of all men. 73c1254bca Varicoceles are often asymptomatic and may be discovered incidentally to a physical

examination or during an evaluation for male infertility. When palpable, the enlargement of veins above the testicle is most commonly left-sided (80–90% of cases). Right-sided and bilateral varicoceles also occur; an isolated right-sided varicocele is rare and may prompt investigation for an abdominal mass compressing the vena cava. 73c1254bca

Intercostal nerves The 7th intercostal nerve ends at the xiphoid process of the sternum The intercostal nerves are part of the somatic nervous system, and arise from the anterior rami of the thoracic spinal nerves from T1 to T11. the walls of the thorax; the lower five supply the walls of the thorax and abdomen. The intercostal nerves are distributed chiefly to the thoracic pleura and abdominal peritoneum, and differ from the anterior rami of the other spinal nerves in that each pursues an independent course without plexus formation 73c1254bca

Renal colic typically no antalgic position for the patient (lying down on the non-aching side and applying a hot bottle or towel to the area affected may help). Larger Renal colic (literally, kidney pain), also known as ureteric colic (literally, pain in the ureters), is characterized by 73c1254bca

Many owl species, such as the barn owl, have asymmetrically positioned ears that enhance sound positioning. 73c1254bca

Sacroiliac joint It is a synovial plane joint with irregular elevations and depressions that produce interlocking of the two bones. The human body has two sacroiliac joints, one on the left and one on the right, that often match each other but are highly variable from person to person. The pain is often a mild to moderate ache around the dimple or posterior superior iliac spine (PSIS) region. causes a dull unilateral low back pain. In humans, the sacrum supports the spine and is supported in turn by an ilium on each side. The pain The sacroiliac joint or SI joint (SIJ) is the joint between the sacrum and the ilium bones of the pelvis, which are connected by strong ligaments. The joint is strong, supporting the entire weight of the upper body 73c1254bca

The wrybill is the only species of bird with a beak that is bent sideways (always to the right). 73c1254bca  
Pleurisy can be caused by a variety of conditions, including viral or bacterial infections, autoimmune disorders, and pulmonary embolism. The most common cause is a viral infection. Other causes include bacterial infection, pneumonia, pulmonary embolism, autoimmune disorders, lung cancer, following heart

surgery, pancreatitis and asbestosis. Occasionally the cause remains unknown. The underlying mechanism involves the rubbing together of the pleurae instead of smooth gliding. Other conditions that can produce similar symptoms include pericarditis, heart attack, cholecystitis, pulmonary embolism, and pneumothorax. Diagnostic testing may include a chest X-ray, electrocardiogram (ECG), and blood tests. 73c1254bca

Pleurisy breathing. Other symptoms may include shortness of breath, cough, fever, and weight loss, depending on the underlying cause. This can result in a sharp chest pain while breathing. Occasionally the pain may be a constant dull ache. Occasionally the pain may be a constant dull ache. Other symptoms may include shortness of breath, cough, fever, and weight loss, depending on Pleurisy, also known as pleuritis, is inflammation of the membranes that surround the lungs and line the chest cavity (pleurae) 73c1254bca

[https://lb1-s245-pub.pressidium.com/!k/text/link?BOOK=allegra\\_180\\_side\\_effects](https://lb1-s245-pub.pressidium.com/!k/text/link?BOOK=allegra_180_side_effects)  
[https://lb1-s245-pub.pressidium.com/!r/pub/find?EPUB=how\\_long\\_does-your\\_esta\\_last](https://lb1-s245-pub.pressidium.com/!r/pub/find?EPUB=how_long_does-your_esta_last)  
[https://lb1-s245-pub.pressidium.com/\\_l/doc/link?MD=high\\_protein\\_low\\_fat](https://lb1-s245-pub.pressidium.com/_l/doc/link?MD=high_protein_low_fat)  
[https://lb1-s245-pub.pressidium.com/@e/pdf/link?KINDLE=non\\_st\\_segment-elevation\\_myocardial-infarction\\_definition](https://lb1-s245-pub.pressidium.com/@e/pdf/link?KINDLE=non_st_segment-elevation_myocardial-infarction_definition)  
[https://lb1-s245-pub.pressidium.com/@s/pdf/url?EPDF=healthiest\\_way\\_to-eat\\_eggs](https://lb1-s245-pub.pressidium.com/@s/pdf/url?EPDF=healthiest_way_to-eat_eggs)  
[https://lb1-s245-pub.pressidium.com/+o/chap/list?KINDLE=appendix\\_placement\\_in\\_body](https://lb1-s245-pub.pressidium.com/+o/chap/list?KINDLE=appendix_placement_in_body)  
[https://lb1-s245-pub.pressidium.com/@q/journal/dl?PPT=chromatogram\\_in\\_gas\\_chromatography](https://lb1-s245-pub.pressidium.com/@q/journal/dl?PPT=chromatogram_in_gas_chromatography)  
[https://lb1-s245-pub.pressidium.com/\\_a/play/dl?BOOK=hair-loss-due\\_to-vitamin\\_d\\_deficiency](https://lb1-s245-pub.pressidium.com/_a/play/dl?BOOK=hair-loss-due_to-vitamin_d_deficiency)  
[https://lb1-s245-pub.pressidium.com/@f/ebook/slug?TXT=right\\_eyes\\_ka-fadakna](https://lb1-s245-pub.pressidium.com/@f/ebook/slug?TXT=right_eyes_ka-fadakna)  
[https://lb1-s245-pub.pressidium.com/@s/slide/slug?MD=unc-hospital\\_chapel\\_hill](https://lb1-s245-pub.pressidium.com/@s/slide/slug?MD=unc-hospital_chapel_hill)  
[https://lb1-s245-pub.pressidium.com/=a/book/search?DOC=dr\\_narendra-pratap-singh\\_patna](https://lb1-s245-pub.pressidium.com/=a/book/search?DOC=dr_narendra-pratap-singh_patna)  
[https://lb1-s245-pub.pressidium.com/\\_z/doc/visit?PLAY=average\\_height-of\\_a-2\\_year\\_old](https://lb1-s245-pub.pressidium.com/_z/doc/visit?PLAY=average_height-of_a-2_year_old)  
[https://lb1-s245-pub.pressidium.com/+d/doc/key?PUB=how\\_much\\_protein\\_in\\_almonds](https://lb1-s245-pub.pressidium.com/+d/doc/key?PUB=how_much_protein_in_almonds)  
[https://lb1-s245-pub.pressidium.com/\\_f/course/key?CHAPTER=como\\_bajar\\_de\\_peso\\_en\\_una\\_semana](https://lb1-s245-pub.pressidium.com/_f/course/key?CHAPTER=como_bajar_de_peso_en_una_semana)