

Side Effect Of Termination Of Pregnancy

The controversy is not primarily a scientific issue, since knowledge of human reproduction and development has become very refined; the linguistic questions remain debated for other reasons. The issue poses larger social, legal, medical, religious, philosophical, and political ramifications because some people, such as Concerned Women for America, identify the beginning of a pregnancy as the beginning of an individual human being's life. Many of these arguments are related to the anti-abortion movement. In this way of thinking, if the pregnancy has not yet begun, then stopping the process is not abortion and therefore can contain none of the moral issues associated with abortion, but if it is a pregnancy, then stopping it is a morally significant... eb94291296 In the United States, there are an estimated 2,500 to 4,000 CPCs that qualify as clinics and may also provide pregnancy testing, medical ultrasounds, and other services. Many others operate without medical licensing under varying degrees of regulation. For comparison, there were 807 abortion clinics in the United States as of 2020. Hundreds more CPCs operate outside of

the U.S., including in Canada, Latin America, Africa, and Europe. eb94291296 A multiple pregnancy may be the result of the fertilization of a single egg that then splits to create identical fetuses, or it may be the result of the fertilization of multiple eggs that create fraternal ("non-identical") fetuses, or it may be a combination of these factors. A multiple pregnancy from a single zygote is called monozygotic, from two zygotes is called dizygotic, or from three or more zygotes is called polyzygotic. eb94291296 In non-humans, the whole group may also be referred to as a litter, and multiple births may be more common than single births. Multiple births in humans are the exception and can be exceptionally rare in the largest mammals. eb94291296 Research on unintended pregnancy rates is challenging, as categorizing a pregnancy as "intended" or "unintended" does... eb94291296

Protection of Life During Pregnancy Act 2013 The 2013 Act was repealed by the Health (Regulation of Termination of Pregnancy) Act 2018, which commenced on 1 January 2019. The provisions relating to suicide had been the most contentious part of the bill. repealed by the Health (Regulation of Termination of Pregnancy) Act 2018, which commenced on 1 January 2019. 66 of 2013) was an Act of the Oireachtas which, until 2018, defined the circumstances and processes within which abortion in Ireland could be legally performed.

Higgins, the President of Ireland, and commenced on 1 January 2014. That judgment allowed for abortion where pregnancy endangers a woman's life, including through a risk of suicide. Under section 58 of the Offences against the Person The Protection of Life During Pregnancy Act 2013 (Act No. The act gave effect in statutory law to the terms of the Constitution as interpreted by the Supreme Court in the 1992 judgment in the X Case. 35 of 2013; previously Bill No. Having passed both Houses of the Oireachtas in July 2013, it was signed into law on 30 July by Michael D eb94291296

The most common symptom of a miscarriage is vaginal bleeding, with or without pain. Tissue and clot-like material may leave the uterus and pass through and out of the vagina. Risk factors for miscarriage include being an older parent, previous miscarriage, exposure to tobacco smoke, obesity, diabetes, thyroid problems, and drug or alcohol use. About 80% of miscarriages occur in the first 12 weeks of pregnancy (the first trimester). The underlying cause in about half of cases involves chromosomal... eb94291296

Ectopic pregnancy EUP). Severe bleeding may result in a fast heart rate, fainting, or shock. a. Signs and symptoms classically include abdominal pain and vaginal bleeding, but fewer than 50 percent of affected women have both of these symptoms. With very

rare exceptions, the fetus is unable to survive. The pain may be described as sharp, dull, or crampy. k. This complication has also been referred to as an extrauterine pregnancy (a. Ectopic pregnancy is a complication of pregnancy in which the embryo attaches outside the uterus. This complication has also been referred to as an extrauterine Ectopic pregnancy is a complication of pregnancy in which the embryo attaches outside the uterus. Pain may also spread to the shoulder if bleeding into the abdomen has occurred eb94291296

When done legally in industrialized societies, induced abortion is one of the safest procedures in medicine. Modern methods use medication or surgery for abortions. The drug mifepristone (aka RU-486) in combination with prostaglandin appears to be as safe and effective as surgery during the first and second trimesters of pregnancy. Self-managed medication abortion is highly effective and safe throughout the first trimester. The most common surgical technique involves dilating the cervix and using... eb94291296 Sexual activity without the use of effective contraception through choice or coercion is the predominant cause of unintended pregnancy. Worldwide, the unintended pregnancy rate is approximately 45% of all pregnancies (for a total of 120 million unintended pregnancies annually), but rates vary in different geographic areas and among different

sociodemographic groups. Unintended pregnancies may be unwanted pregnancies or mistimed pregnancies. While unintended pregnancies are the main reason for induced abortions, unintended pregnancies may also result in other outcomes, such as live births or miscarriages. eb94291296 In 2021, MTP Amendment Act 2021 was passed with certain amendments to the MTP Act 1971, such as women being allowed to seek safe abortion services on grounds of contraceptive failure, an increase in gestation limit to 24 weeks for special categories of women, and opinion of one abortion service provider required up to 20 weeks of gestation. Abortion can now be performed until 24 weeks of pregnancy as the MTP Amendment Act 2021 has come into force by notification in Gazette from 24 September 2021. The cost of the abortion service is covered fully by the government's public national health insurance funds, Ayushman Bharat and Employees' State Insurance with the package rate for surgical abortion being set at ₹15,500 (US\$160) which includes consultation, therapy, hospitalization, medication, ultrasound, and follow-up treatments. For medical abortion, the package rate is set at ₹1,500 (US\$16) which includes consultation and... eb94291296

Unintended pregnancy Sexual activity without An unintended pregnancy is a pregnancy that is mistimed or unwanted at the time of conception, also known as an unplanned

pregnancy. An unintended pregnancy is a pregnancy that is mistimed or unwanted at the time of conception, also known as an unplanned pregnancy eb94291296

Unintended pregnancy has been linked to numerous poor maternal and child health outcomes, regardless of the outcome of the pregnancy. Efforts to decrease rates of unintended pregnancy have focused on improving access to effective contraception through improved counseling and removing barriers to contraception access. eb94291296 Overall, ectopic pregnancies annually affect less than 2% of pregnancies worldwide. Risk factors for ectopic pregnancy include pelvic inflammatory disease, often due to chlamydia infection; tobacco smoking; endometriosis; prior tubal surgery; a history of infertility; and the use of assisted reproductive technology. Those who have previously had an ectopic pregnancy are at much higher risk of having another one. Most ectopic pregnancies (90%) occur in the fallopian tube, which are known as tubal pregnancies, but implantation can also occur on the cervix, ovaries, caesarean scar, or within the abdomen... eb94291296

Miscarriage The term miscarriage is sometimes used to refer to all forms of pregnancy loss Miscarriage, also known in medical terms as a spontaneous abortion, is an end to pregnancy resulting in the loss and expulsion of an embryo or fetus from the womb before

it can survive independently. The term miscarriage is sometimes used to refer to all forms of pregnancy loss and pregnancy with abortive outcomes before 20 weeks of gestation. Miscarriage before six weeks of gestation is defined as biochemical loss by ESHRE. Once ultrasound or histological evidence shows that a pregnancy has existed, the term used is clinical miscarriage, which can be "early" (before 12 weeks) or "late" (between 12 and 21 weeks). fetal termination after 20 weeks of gestation is known as a stillbirth. Spontaneous fetal termination after 20 weeks of gestation is known as a stillbirth eb94291296

Similarly, the siblings themselves from a multiple birth may be referred to as monozygotic if they are identical or as dizygotic (in cases of twins) or polyzygotic (for three or more siblings) if they are fraternal... eb94291296 Many CPCs are run by Christian groups that adhere to a socially... eb94291296 == Definitions == eb94291296 Signs and symptoms of early pregnancy may include missed periods, tender breasts, morning sickness (nausea and vomiting), hunger, implantation bleeding, and frequent urination. Pregnancy may be confirmed with a pregnancy test. Methods of contraception are used to avoid pregnancy. eb94291296

Abortion in India The Medical Termination of Pregnancy Regulations, 2003 were issued

under the Act to enable women to access safe and legal abortion services. various with the introduction of the Medical Termination of Pregnancy (MTP) Act, 1971. The Medical Termination of Pregnancy Regulations, 2003 were issued Abortion has been legal in India under various with the introduction of the Medical Termination of Pregnancy (MTP) Act, 1971 eb94291296

Abortion The unmodified word abortion generally refers to induced abortion Abortion is the termination of a pregnancy by removal or expulsion of an embryo or fetus. Abortion is the termination of a pregnancy by removal or expulsion of an embryo or fetus. Abortion occurring without intervention is known as spontaneous abortion or "miscarriage", and occurs in roughly 30–40% of all pregnancies. Other reasons include maternal health, an inability to afford a child, domestic violence, lack of support, feelings of being too young, wishing to complete an education or advance a career, and not being able, or willing, to raise a child conceived as a result of rape or incest. The unmodified word abortion generally refers to induced abortion, or deliberate actions to end a pregnancy. Common reasons for inducing an abortion are birth-timing and limiting family size eb94291296

Crisis pregnancy center A crisis pregnancy center (CPC), sometimes called a pregnancy

resource center (PRC) or a pro-life pregnancy center, is a type of nonprofit organization A crisis pregnancy center (CPC), sometimes called a pregnancy resource center (PRC) or a pro-life pregnancy center, is a type of nonprofit organization established by anti-abortion groups primarily to persuade pregnant women not to have an abortion eb94291296

== Background == eb94291296

Pregnancy Methods of contraception are used to avoid pregnancy. A multiple pregnancy involves more than one offspring, such as with twins. Pregnancy may be confirmed with a pregnancy test. Pregnancy is divided into three trimesters of Pregnancy is the time during which one or more offspring gestates inside a woman's uterus eb94291296

Conception usually occurs following vaginal intercourse, but can also occur through assisted reproductive technology procedures. A pregnancy may end in a live birth, a miscarriage, an induced abortion, or a stillbirth. Childbirth typically occurs around 40 weeks from the start of the last menstrual period (LMP), a span known as the gestational age; this is just over nine months. Counting by fertilization age, the length is about 38 weeks. Implantation occurs on average 8–9 days after fertilization. An embryo is the term

for the developing offspring during the first seven weeks following implantation (i.e. ten weeks' gestational age), after which the term fetus is used until the birth of a baby.

eb94291296

Beginning of pregnancy controversy Because an abortion is defined as ending an established pregnancy, rather than as destroying a fertilized egg, depending on when pregnancy is considered to begin, some methods of birth control as well as some methods of infertility treatment might be classified as causing abortions. Controversy over the beginning of pregnancy occurs in different contexts, particularly as it is discussed within the debate of abortion in the United States Controversy over the beginning of pregnancy occurs in different contexts, particularly as it is discussed within the debate of abortion in the United States eb94291296

Multiple birth A term most applicable to vertebrate A multiple birth is the culmination of a multiple pregnancy, wherein the mother gives birth to two or more babies. A multiple birth is the culmination of a multiple pregnancy, wherein the mother gives birth to two or more babies. Such births are often named according to the number of offspring, as in twins and triplets. A term most applicable to vertebrate species, multiple births occur in most kinds

of mammals, with varying frequencies eb94291296

CPCs have frequently been found to disseminate false medical information about the supposed physical and mental health risks of abortion. They sometimes promulgate misinformation about the effectiveness of condoms and prevention of sexually transmitted infections. CPCs are sometimes called fake abortion clinics by scholars, the media, and supporters of abortion rights due to deceptive advertising that obscures the centers' anti-abortion agenda. eb94291296 Pregnancy is divided into three trimesters of approximately... eb94291296

<https://lb1-s245-pub.pressidium.com/^f/chap/upload?KINDLE=insert-checkable-box-in-word>

https://lb1-s245-pub.pressidium.com/~z/short/url?PUB=how-to_treat-a_dog-s_infected_ear

[https://lb1-s245-pub.pressidium.com/\\$l/doc/niche?CHAPTER=structure_of_management_information_system](https://lb1-s245-pub.pressidium.com/$l/doc/niche?CHAPTER=structure_of_management_information_system)

[https://lb1-s245-pub.pressidium.com/\\$s/journal/list?PPT=loperamida-en-el_embarazo](https://lb1-s245-pub.pressidium.com/$s/journal/list?PPT=loperamida-en-el_embarazo)

https://lb1-s245-pub.pressidium.com/+p/ref/exe?EBOOK=what_is-central_sleep-apnea

https://lb1-s245-pub.pressidium.com/^j/text/list?EBOOK=where_is-republic_of-benin_located

https://lb1-s245-pub.pressidium.com/@x/course/upload?PDF=my-baby_is_different_after_vaccination

[https://lb1-s245-pub.pressidium.com/\\$a/course/mirror?PAGE=que_son_las_actividades-comunicativas](https://lb1-s245-pub.pressidium.com/$a/course/mirror?PAGE=que_son_las_actividades-comunicativas)

https://lb1-s245-pub.pressidium.com/-y/book/goto?PUB=esi-post_graduate-institute_of_medical_science-and_research

https://lb1-s245-pub.pressidium.com/-l/ebook/visit?RTF=national_bowel_cancer_screening_program

https://lb1-s245-pub.pressidium.com/_l/play/mirror?EBOOK=which_blood-test-for_covid-19

https://lb1-s245-pub.pressidium.com/^u/science/file?PPT=message-for_plantar_fasciitis

https://lb1-s245-pub.pressidium.com/_l/play/visit?TEXT=liquid_cbd_with_thc

[https://lb1-s245-pub.pressidium.com/\\$w/pub/niche?DOC=does_dose_for_your-liver-work](https://lb1-s245-pub.pressidium.com/$w/pub/niche?DOC=does_dose_for_your-liver-work)