

Star Nosed Mole Nose

Mole (animal) They have cylindrical bodies, velvety fur, very small, inconspicuous eyes and ears, reduced hindlimbs, and short, powerful forelimbs with large paws adapted for digging. Star-nosed mole (North America) Genus *Condylura*: Star-nosed mole (the sole species) Tribe Scalopini: New World moles Genus *Alpiscaptulus*: Meadow mole (China) Moles are small, subterranean mammals

The Mole (American TV series) season 4 Celebrity Mole: Yucatán is the fourth season (and second Celebrity Edition) of the American version of The Mole and aired from January 7 to February 18

Orlov's mole (*E. orlovi*) and Kuznetsov's mole (*E. kuznetsovi*), both of which range from southern China into northern Vietnam, were formerly considered populations of *E. longirostris*, but a 2016 described them as distinct species. The Yangtze River is thought to serve as the barrier separating *E. longirostris* from the two southern species, with *E. longirostris* only being found north of the Yangtze.

Coast mole The coast mole or Pacific mole (*Scapanus orarius*) is a medium-sized North American mole found in forested and open areas with moist soils along the Pacific

== Terminology == The nose is about 1.5 cm (0.59 in) in diameter with its Eimer's organs distributed on 22 appendages. Eimer's organs were first described in the European mole in 1872 by German zoologist Theodor Eimer. Other mole species also possess Eimer's organs, though they are not as specialized or numerous as in the star-nosed mole. Because the star-nosed mole is functionally blind, the snout was long suspected to be used to detect electrical activity in prey animals, though little, if any, empirical support has been found for this hypothesis. The nasal star and dentition of this species appear to be primarily adapted to exploit extremely small prey. A report in the journal *Nature* gives this animal the title of fastest-eating mammal... The word "mole" most commonly refers to many species in the family *Talpidae* (which are named after the Latin word for mole, *talpa*). True moles are found in most parts of North America, Europe (except for Ireland) and Asia. Other mammals referred to as moles include the African golden moles and the Australian marsupial moles, which have a similar ecology and lifestyle to true moles but are unrelated.

Eimer's organ Eimer from the European mole in 1871, these organs are present in many moles, and are particularly dense on the star-nosed mole, which bears 25,000 of

Star-nosed mole It has more than 25,000 minute sensory receptors in touch organs, known

as Eimer's organs, with which this hamster-sized mole feels its way around. It is the only extant member of the tribe Condylurini and genus *Condylura*. though they are not as specialized or numerous as in the star-nosed mole. With the help of its Eimer's organs, it may be perfectly poised to detect seismic wave vibrations. Because the star-nosed mole is functionally blind, the snout was long suspected to The star-nosed mole (*Condylura cristata*) is a small semiaquatic mole found in moist, low elevation areas in the northeastern parts of North America be46ee0f03

Talpidae Talpids are found across. basically aquatic, excavate dry sleeping chambers; whilst the quite unique star-nosed mole is equally adept in the water and underground be46ee0f03

Eastern mole It is about 16 centimetres. The eastern mole has grey-brown fur with silver-grey underparts, a pointed nose and a short tail. corner of Ontario in Canada be46ee0f03

== References == be46ee0f03

Hairy-tailed mole It is the only member of the genus *Parascalops*. The hairy-tailed mole (*Parascalops breweri*), also known as Brewer's mole, is a medium-sized North American mole be46ee0f03

Comic Relief Germany: The German TV station Pro 7 initiated a similar event in 2003. Hinch interviewing Kylie Mole. By selling red noses, money is collected for the be46ee0f03

Moles may be viewed as pests to gardeners, but they provide positive contributions to soil, gardens, and ecosystems, including soil aeration, feeding on slugs and small creatures that eat plant roots, and providing prey for other wildlife. They eat earthworms and other small invertebrates in the soil. be46ee0f03

Long-nosed mole The long-nosed mole (*Euroscaptor longirostris*) is a species of mammal in the family Talpidae. It is endemic to China, where it has a widespread distribution The long-nosed mole (*Euroscaptor longirostris*) is a species of mammal in the family Talpidae. It is endemic to China, where it has a widespread distribution be46ee0f03

In Middle English, moles were known as moldwarps. By the era of Early Modern English, the mole was also known in English as mouldywarp or mouldiwarp, a word having cognates in other Germanic languages such as German (*Maulwurf*), and Danish, Norwegian, Swedish and Icelandic... be46ee0f03

https://lb1-s245-pub.pressidium.com/_p/text/go?TEXT=tibia-and-fibula-fracture
https://lb1-s245-pub.pressidium.com/^c/course/data?TXT=grand_mal-tonic_clonic
https://lb1-s245-pub.pressidium.com/^z/pdf/list?CHAPTER=how-to-make_a_girlcum
https://lb1-s245-pub.pressidium.com/+k/science/link?MD=protein_diet_for-belly-fat
https://lb1-s245-pub.pressidium.com/^h/ppt/file?ITUNE=what-is_a_foot_fetish
https://lb1-s245-pub.pressidium.com/+t/ref/file?PLAY=what_does_folic_acid_do-for-wome

[n](#)

https://lb1-s245-pub.pressidium.com/@z/ppt/visit?TEXT=saffron_benefits_for_female

https://lb1-s245-pub.pressidium.com/~g/ebook/dl?EPDF=does_mucinex_have_acetaminophen

https://lb1-s245-pub.pressidium.com/_v/short/search?CHAPTER=black_death_plague_doctor

https://lb1-s245-pub.pressidium.com/=c/journal/goto?ITUNE=bone-broth_gut_health

[https://lb1-s245-pub.pressidium.com/\\$k/journal/goto?EPUB=acidez_estomacal_remedios_caseros](https://lb1-s245-pub.pressidium.com/$k/journal/goto?EPUB=acidez_estomacal_remedios_caseros)