

Difference Between Pigmentation And Melasma

Pseudofolliculitis barbae Prevention measures include making changes to one's shaving technique: using sharp razors, avoiding too close a shave, using an astringent — such as alum — and an antiseptic — such as alcohol-based aftershave after shaving. involved. Where Pseudofolliculitis barbae (PFB) is a type of irritant folliculitis that commonly affects people who have curly or thick facial hair. This can lead to ingrown hairs, scarring, itchiness, and skin discoloration. The difference between the two is the cause of the inflammation in the hair follicles. There is also a condition called folliculitis barbae. It occurs when hair curls back into the skin after shaving, causing inflammation, redness, and bumps. PFB can be treated with various methods, including changing shaving habits, using topical creams or ointments, and undergoing chemical-, or laser hair removal 67fee81386

The epidermis is the most superficial layer of skin, a squamous epithelium with several strata: the stratum corneum, stratum lucidum, stratum granulosum, stratum spinosum, and stratum basale. Nourishment is provided to these layers by diffusion from the dermis... 67fee81386 Classic, endemic, immunosuppression therapy-related (also known as iatrogenic), and epidemic (also known as AIDS-related) sub-types are all described. Classic KS tends to affect older men in regions where KSHV is highly prevalent (Mediterranean, Eastern Europe, Middle East), is usually slow-growing, and most often affects only the legs. Endemic KS is most common in Sub-Saharan Africa and is more aggressive in children, while older adults present similarly to classic KS. Immunosuppression therapy-related KS generally occurs in people following organ transplantation and mostly... 67fee81386 == Use == 67fee81386 Lupus is Latin for "wolf": the disease was so-named in the 13th century as the rash was thought to resemble a wolf's bite. 67fee81386 == Signs and symptoms == 67fee81386 In a number of African countries, above 25% of women regularly use skin-whitening products. In Asia, this number is around 40%. In India, over 50% of skin-care product sales are attributed to skin-lightening formulations. In Pakistan, where skin lightening products are popular, creams have been found to contain toxic levels of hydroquinone and mercury. 67fee81386 == Description == 67fee81386 Treatments for acne are available, including lifestyle changes, medications, and medical procedures. The most effective medication is isotretinoin. Eating fewer simple carbohydrates such as sugar may minimize the condition. Treatments applied... 67fee81386 It was first described in 1956. 67fee81386

Intense pulsed light IPL is increasingly used in optometry and ophthalmology Intense pulsed light (IPL) is a technology used by cosmetic and medical practitioners to perform various skin treatments for aesthetic and therapeutic purposes, including

Difference Between Pigmentation And Melasma

hair removal, photorejuvenation (e. IPL is increasingly used in optometry and ophthalmology as well, to treat evaporative dry eye disease due to meibomian gland dysfunction. IPL is also used for home based hair removal. g. the treatment of skin pigmentation, sun damage, and thread veins) as well as to alleviate dermatologic diseases such as acne. skin pigmentation, sun damage, and thread veins) as well as to alleviate dermatologic diseases such as acne 67fee81386

== Function == 67fee81386 The technology uses a high-powered, hand-held, computer-controlled linear flashlamp to deliver an intense, visible and near infra-red, broad-spectrum pulse of light, generally in the range of 400 to 1200 nm. Various cut-on filters are commonly used to selectively filter out shorter wavelengths, especially potentially damaging ultraviolet and longer wavelength infra-red light. The resulting light has a spectral range that targets specific structures and chromophores (e.g. melanin in hair, or oxyhemoglobin in blood vessels) that are heated to destruction and reabsorbed by the body. IPL shares some similarities with laser treatments, in that they both use light to heat and induce... 67fee81386

Acne Dermabrasion has fallen out of favor with the introduction Acne, also known as acne vulgaris, is a long-term skin condition that occurs when dead skin cells and sebum clog hair follicles. The resulting appearance can lead to lack of confidence, anxiety, reduced self-esteem, and, in extreme cases, depression or thoughts of suicide. It primarily affects skin with a relatively high number of oil glands, including the face, upper part of the chest, and back. potential side effects such as skin sensitivity to sunlight, redness, and decreased pigmentation of the skin. Typical features of the condition include blackheads or whiteheads, pimples, oily skin, and possible scarring 67fee81386

Human skin color Differences in skin color among individuals is caused by variation in pigmentation, which is largely due to genetics (inherited from one's biological parents), and, in adults in particular, to exposure to the sun, disorders, or some combination thereof. darkest brown to the lightest hues. Differences in skin color among individuals is caused by variation in pigmentation, which is largely due to genetics Human skin color, also known as skin tone, ranges from the darkest brown to the lightest hues. Differences across populations evolved through natural selection and sexual selection, because of social norms and differences in environment, as well as regulation of the biochemical effects of ultraviolet radiation penetrating the skin 67fee81386

Lupus Children up to 18 years old develop a more severe form of SLE termed childhood-onset systemic lupus erythematosus. Common symptoms include painful and swollen joints, fever, chest pain, hair loss, mouth ulcers, swollen lymph nodes, feeling tired, and a red rash which is most commonly on the face. Often there are periods of illness, called flares, and periods of remission during which there are few symptoms. type II involvement. Reticulate and stellate acral pigmentation should be considered a possible manifestation of SLE and high titers of anti-cardiolipin Lupus, formally called systemic lupus

Difference Between Pigmentation And Melasma

erythematosus (SLE), is an autoimmune disease in which the body's immune system mistakenly attacks healthy tissue in many parts of the body. Symptoms vary among people and may be mild to severe 67fee81386

Phlebodium aureum Polypodium aureum, Polypodium leucotomos) is an epiphytic fern native to tropical and subtropical regions of the Americas. including melasma, vitiligo, psoriasis, polymorphous light eruption, atopic dermatitis, postinflammatory hyperpigmentation, photoaging and skin cancer Phlebodium aureum (golden polypody, golden serpent fern, cabbage palm fern, gold-foot fern, blue-star fern, hare-foot fern; syn 67fee81386

Kaposi's sarcoma Well-circumscribed spindle-cell tumor Kaposi's sarcoma (KS) is a type of cancer that can form masses on the skin, in lymph nodes, in the mouth, or in other organs. dissecting the upper dermis. Except for classic KS where there is generally no immune suppression, KS is caused by a combination of immune suppression (such as HIV/AIDS) and infection by Human herpesvirus 8 (HHV8 - also called KS-associated herpesvirus (KSHV)). The skin lesions are usually painless, purple, and may be flat or raised. Lesions can occur singly, multiply in a limited area, or may be widespread. Depending on the sub-type of disease and level of immune suppression, KS may worsen either gradually or quickly. There is erythrocyte extravasation and hemosiderin pigmentation. Micrograph of tumor stage 67fee81386

Susceptibility to acne is primarily genetic in 80% of cases. The roles of diet and cigarette smoking in the condition are unclear, and neither cleanliness nor exposure to sunlight are associated with acne. In both sexes, hormones called androgens appear to be part of the underlying mechanism, by causing increased production of sebum. Another common factor is the excessive growth of the bacterium Cutibacterium acnes, which is present on the skin. 67fee81386 Areas of increased... 67fee81386

Skin whitening been used in melasma with some evidence of benefit. This includes mercury compounds which may cause neurological problems and kidney problems. Reoccurrence is common, and certain types of lasers can result in more pigmentation. Skin lightening Skin whitening, also known as skin lightening and skin bleaching, is the practice of using chemical substances in an attempt to lighten the skin or provide an even skin color by reducing the melanin concentration in the skin. Several chemicals have been shown to be effective in skin whitening, while some have proven to be toxic or have questionable safety profiles 67fee81386

Melanocyte Pigmentation including tanning is under hormonal Melanocytes are melanin-producing neural crest-derived cells located in the bottom layer (the stratum basale) of the skin's epidermis, the middle layer of the eye (the uvea), the inner ear, vaginal epithelium, meninges, bones, and heart found in many mammals and birds. Melanin is a dark pigment primarily

Difference Between Pigmentation And Melasma

responsible for skin color. melanosomes". Thus darker skin tones have more melanosomes present than lighter skin tones. There are also differences in the quantity and relative amounts of eumelanin and pheomelanin. Melanocytes also have a role in the immune system. Functionally, melanin serves as protection against UV radiation. Once synthesized, melanin is contained in special organelles called melanosomes which can be transported to nearby keratinocytes to induce pigmentation 67fee81386

Human skin color is influenced greatly by the amount of the pigment melanin present. Melanin is produced within the skin in cells called melanocytes; it is the main determinant of the skin color of darker-skin humans. The skin color of people with light skin is determined mainly by the bluish-white connective tissue under the dermis and by the hemoglobin circulating in the veins of the dermis. The red color underlying the skin becomes more visible, especially in the face, when, as a consequence of physical exercise, sexual arousal, or the stimulation of the nervous system (e.g. due to anger or embarrassment... 67fee81386 The cause of SLE is not clear. It is thought to involve a combination of genetics and environmental factors. Among identical twins, if one is affected there is a 24% chance the other one will also develop the disease. Female sex hormones, sunlight, smoking, vitamin D deficiency, and certain infections are also believed to increase a person's risk. The mechanism involves an immune response by autoantibodies against a person's own tissues... 67fee81386 Efforts to lighten the skin date back to at least the 16th century in Asia. While a number of agents — such as kojic acid and alpha hydroxy acid — are allowed in cosmetics in Europe, a number of others such as hydroquinone and tretinoin are not. While some countries do not allow mercury compounds in cosmetics, others still do, and they can be purchased online. 67fee81386

List of skin conditions The two main types of human skin are: glabrous skin, the hairless skin on the palms and soles (also referred to as the "palmoplantar" surfaces), and hair-bearing skin. Within the latter type, the hairs occur in structures called pilosebaceous units, each with hair follicle, sebaceous gland, and associated arrector pili muscle. The skin weighs an average of four kilograms, covers an area of two square metres, and is made of three distinct layers: the epidermis, dermis, and subcutaneous tissue. The major function of this system is as a barrier against the external environment. Melanoma, seborrheic keratoses, acanthosis nigricans, melasma, diabetic dermopathy, tinea versicolor, and postinflammatory hyperpigmentation". In the embryo, the epidermis, hair, and glands form from the ectoderm, which is chemically influenced by the underlying mesoderm that forms the dermis and subcutaneous tissues. Am Fam Physician Many skin conditions affect the human integumentary system—the organ system covering the entire surface of the body and composed of skin, hair, nails, and related muscles and glands 67fee81386

https://lb1-s245-pub.pressidium.com/^k/journal/key?PAGE=beneficios-del-te_de__oregano

Difference Between Pigmentation And Melasma

https://lb1-s245-pub.pressidium.com/_r/doc/file?RTF=how-to_give_love-bites
https://lb1-s245-pub.pressidium.com/_n/journal/url?BOOK=how-can-i_find_my-nhs-number
https://lb1-s245-pub.pressidium.com/!u/ebook/data?PPT=why_is-my-face-getting_darker-without_sun
https://lb1-s245-pub.pressidium.com/~j/chap/goto?PUB=renin_angiotensin-aldosterone_system-raas
https://lb1-s245-pub.pressidium.com/^o/doc/upload?PUB=teaspoons-in_1-gram-of-sugar
[https://lb1-s245-pub.pressidium.com/\\$j/ebook/exe?EPDF=burning_at_the-tip_when-i_pee](https://lb1-s245-pub.pressidium.com/$j/ebook/exe?EPDF=burning_at_the-tip_when-i_pee)
<https://lb1-s245-pub.pressidium.com/!s/pdf/upload?PAGE=evaluate-meaning-in-marathi>
[https://lb1-s245-pub.pressidium.com/\\$z/short/url?TEXT=can-you_develop-lactose_intolerance](https://lb1-s245-pub.pressidium.com/$z/short/url?TEXT=can-you_develop-lactose_intolerance)
<https://lb1-s245-pub.pressidium.com/-l/edu/exe?TEXT=what-are-conductors-and-insulators>
https://lb1-s245-pub.pressidium.com/-a/ppt/upload?EPDF=medicamentos_para-el_parkinson
https://lb1-s245-pub.pressidium.com/!z/pub/mirror?PAGE=methods_of_increasing-friction
https://lb1-s245-pub.pressidium.com/-x/pub/url?PUB=how_many_calories_are_burned-doing-pilates