

Bump In The Armpit Under Skin

== Differential diagnosis == 973dc482ee == Anatomy == 973dc482ee

Dog flea with small bumps that may bleed. When the area is pressed The dog flea (*Ctenocephalides canis*) is a species of flea that lives as an ectoparasite on a wide variety of mammals, particularly the domestic dog and cat. This rash is usually located on the armpit or fold of a joint such as the elbow, knee, or ankle. It closely resembles the cat flea (*Ctenocephalides felis*), which can live on a wider range of animals and is generally more prevalent worldwide 973dc482ee

The five main types of psoriasis are plaque, guttate, inverse, pustular, and erythrodermic. Plaque psoriasis, also known as psoriasis vulgaris, makes up about 90% of cases. It typically presents as red patches with white scales on top. Areas of the body most commonly affected are the back of the forearms, shins, navel area and scalp. Guttate psoriasis has drop-shaped lesions. Pustular psoriasis presents as small, noninfectious, pus-filled blisters. Inverse psoriasis forms red patches in skin folds. Erythrodermic psoriasis occurs when the rash becomes very widespread and can develop from any of the other types. Fingernails and toenails are affected in most people with psoriasis at some point in time. This may include pits in the nails or changes in nail color. 973dc482ee The infection is caused by a poxvirus called the molluscum contagiosum virus (MCV). The virus is spread either by direct contact, including sexual activity, or via contaminated objects such as towels. The condition can also be spread to other areas of the body by the person themselves. Risk factors include a weak immune system, atopic dermatitis, and crowded living conditions. Following one infection, it is possible to get re-infected. Diagnosis is typically based on the appearance of the lesions. 973dc482ee == Technique == 973dc482ee Prevention includes hand washing and not sharing personal items. While treatment is not necessary, some may wish to have the lesions removed for cosmetic reasons or to prevent spread. Removal may occur with freezing, laser therapy, or opening... 973dc482ee Psoriasis is generally thought to be a genetic disease that is triggered... 973dc482ee == Hair cleaning and conditioning ==

973dc482ee == Physiology == 973dc482ee Patterns in skin temperature often provide crucial diagnostic data on pathological conditions, ranging from locomotion to vascular diseases. Such information can prove significant to determination of subsequent therapeutic treatments. 973dc482ee The witch's teat was a raised bump somewhere on a witch's body. It is often depicted as having a wart-like appearance. 973dc482ee The dog flea is of veterinary importance because it can spread *Dipylidium caninum*. 973dc482ee

Witch's mark Use of the term is found earliest in the 16th century, and reaching its peak in 1645, but then essentially disappearing by 1700. She died in prison, no doubt from A witch's mark, devil's mark or stigma diabolicum was a bodily mark that witch-hunters believed indicated that an individual was a witch, during the height of the witch trials. Boyraionne's eyes and her armpits, the pit of her stomach, her thighs, her elbows, and dans sa nature; - in her vagina. The beliefs about the mark differed, depending on the trial location and the accusation made against the witch 973dc482ee

Although they feed on the blood of dogs and cats, they sometimes bite humans. They can live without food for several months, but females must have a blood meal before they can produce eggs. They can deliver about 4,000 eggs on the host's fur. The eggs go through four lifecycle stages: embryo, larva, pupa, and imago (adult). This whole life cycle from egg to adult takes from two to three weeks, although this depends on the temperature. It may take longer in cool conditions. 973dc482ee == Premodern understandings of bodily markings == 973dc482ee The eruptive form typically presents on the anterior chest, abdomen, neck, and arms. It presents in successive crops with periods of relief in between times of active rash. 973dc482ee The familial form, in some cases of syringoma, exhibits a familial pattern... 973dc482ee The Witch or Devil's mark was believed to be the permanent marking of the Devil on his initiates to seal their obedience and service to him. He is said to create the mark by raking his claw across their flesh, licking the skin to produce a death skull pattern, or using a hot iron to produce a blue or red brand. The Devil was thought to mark the individual at the end of nocturnal initiation rites. 973dc482ee Fleas do not have wings and their hard bodies are compressed laterally and have hairs and... 973dc482ee The term "witches' mark" is also used to describe marks carved into the walls of buildings to protect them and

their occupants from evil due to demons, witches or the evil eye. 973dc482ee Before English Christendom, the ancient... 973dc482ee A rash may be localized in one part of the body, or affect all the skin. Rashes may cause the skin to change color, itch, become warm, bumpy, chapped, dry, cracked or blistered, swell, and may be painful. The causes, and therefore treatments for rashes, vary widely. Diagnosis must take into account such things as the appearance of the rash, other symptoms, what the patient may have been exposed to, occupation, and occurrence in family members. The diagnosis may confirm any number of conditions. The presence of a rash may aid diagnosis; associated signs and symptoms are diagnostic of certain diseases. For example, the rash in measles is an erythematous, morbilliform, maculopapular rash that begins a few days after the fever starts. It classically starts at the head, and spreads downwards. 973dc482ee Common causes of rashes include: 973dc482ee

Syringoma may also be found in the armpits, abdomen, chest, neck, scalp, or groin area, including genitals, in a symmetric pattern. They are skin-colored or yellowish Syringomas are benign eccrine sweat duct tumors, typically found clustered on eyelids, although they may also be found in the armpits, abdomen, chest, neck, scalp, or groin area, including genitals, in a symmetric pattern. While they can present at any time in life, they typically present during adolescence. They are usually not associated with any other symptoms, although can sometimes cause itchiness or irritation. They are more common in women and are most commonly found in middle-aged Asian women. They are skin-colored or yellowish firm, rounded bumps, 1-3 mm in diameter, and may be confused with xanthoma, milia, hidrocystoma, trichoepithelioma, and xanthelasma 973dc482ee

In 1897, psychologists G. Stanley Hall and Arthur Allin described a "tickle" as two different types of phenomena. One type is caused by very light movement across the skin. This type of tickle, called a knismesis, generally does not produce laughter and is sometimes accompanied by an itching sensation. 973dc482ee

Skin temperature Although it is not a clear indicator of internal body temperature, skin temperature is significant in assessing the healthy function of skin. 5 and 36. 4 °F), though the skin's temperature is lower over protruding parts, like the nose, and higher over muscles and active organs. Temperatures of these parts typically are consistent with internal body temperature.

Normal human skin temperature on the trunk of the body varies between 33. temperatures of the mouth, armpit, and/or rectum. Temperatures of these parts typically are consistent with internal body temperature. 9 °C (92. Recording skin temperature presents extensive difficulties. Patterns in skin temperature Skin temperature is the temperature of the outermost surface of the body. 3 and 98. Some experts believe the physiological significance of skin temperature has been overlooked, because clinical analysis has favoured measuring temperatures of the mouth, armpit, and/or rectum 973dc482ee

Rash red lines in the skin creases of the neck, armpits and groins (Pastia's lines); the vesicles of chicken pox seem to follow the hollows of the body (they A rash is a change of the skin that affects its color, appearance, or texture 973dc482ee

The milia-like type of syringoma is typically smaller lesions that have a milky white center that can look like milia. 973dc482ee

Molluscum contagiosum infection of the skin that results in small raised pink lesions with a dimple in the center. Onset of the lesions is around seven weeks after infection. They may become itchy or sore, and occur singularly or in groups Molluscum contagiosum (MC), sometimes called water warts, is a viral infection of the skin that results in small raised pink lesions with a dimple in the center. They usually go away within a year without scarring. Any area of the skin may be affected, with abdomen, legs, arms, neck, genital area, and face being the most common. They may become itchy or sore, and occur singularly or in groups 973dc482ee

A bikini line is the area of the upper leg and inner thigh in which pubic hair grows that is normally not covered by the bottom part of a swimsuit. In some cultures, visible pubic hair in this region is disliked and/or considered embarrassing and so it is sometimes removed. However, some people remove pubic hair that will not be exposed for aesthetics, personal grooming, hygiene, culture, religion, fashion and for sexual intercourse. 973dc482ee Pubic hair can be removed in a number of ways, such as waxing, shaving, sugaring, electrolysis, laser hair removal or with chemical depilatory creams. Waxing involves applying melted, usually hot, wax to the pubic hair that an individual would like to remove. The wax, which adheres to the hair as it hardens, is then covered with small strips of cloth. When the wax hardens sufficiently, the cloth is pulled off quickly... 973dc482ee The plaque type is more commonly associated with itchiness and chronic scratching that leads to epidermal thickening similar to lichen planus. 973dc482ee The

dog flea's mouthparts are adapted for piercing skin and sucking blood. Dog fleas are external parasites, living by hematophagy off the blood of dogs. The dog often experiences severe itching in all areas where the fleas may reside. 973dc482ee

Bikini waxing Nâyars of Malabar Bikini waxing is the removal of pubic hair using a special wax, which can be hot or cold, that adheres to hairs and pulls them out when the wax is removed quickly from the skin, usually with a cloth strip. shaving the pubic hair, cutting the nails, plucking the hair under the armpits and clipping the moustache'. F. Fawcett (2004) [1901]. While the practice is mainly associated with women, male waxing to remove men's pubic hair has become a more common practice 973dc482ee

Hair care Hair may be colored, trimmed, shaved, plucked or otherwise removed with treatments such as waxing, sugaring and threading. Hair care routines differ according to an individual's culture and the physical characteristics of one's hair. Symptoms may include: Abnormal odor Bleeding Bumps Caking skin buildup that appears white or another color than one's natural skin tone Hair care or haircare is an overall term for hygiene and cosmetology involving the hair which grows from the human scalp, and to a lesser extent facial, pubic and other body hair. Laser hair removal and electrolysis are also available, though these are provided (in the United States) by licensed professionals in medical offices or specialty spas. to the scalp. Hair care services are offered in salons, barbershops and day spas, and products are available commercially for home use 973dc482ee

Tickling The word evolved from the Middle English tikelen, perhaps frequentative of ticken, to touch lightly. stimulation moving across the skin, and is associated with behaviors such as smiling, laughter, twitching, withdrawal and goose bumps. The tickle can be divided Tickling is the act of touching a part of a person's body in a way that causes involuntary twitching movements or laughter 973dc482ee

== Types == 973dc482ee == Background and interactions == 973dc482ee

Psoriasis patches frequently affect skin folds, particularly around the genitals (between the thigh and groin), the armpits, in the skin folds of an overweight abdomen Psoriasis is a long-lasting, noncontagious autoimmune disease characterized by patches of abnormal skin. Injury to the skin can trigger psoriatic skin changes at that spot, which is known as the

Koebner phenomenon. Psoriasis varies in severity from small localized patches to complete body coverage. These areas are red, pink, or purple, dry, itchy, and scaly 973dc482ee

https://lb1-s245-pub.pressidium.com/~f/science/search?MD=mi_chelangelo-buonarroti_the_last_judgement

https://lb1-s245-pub.pressidium.com/~p/edu/go?PDF=can_you_eat_a_aloe_plant

https://lb1-s245-pub.pressidium.com/~b/slide/file?MD=how-many-oz-is_2_tablespoons

https://lb1-s245-pub.pressidium.com/^f/ebook/niche?CHAPTER=shimon_peres-negev_nuclear_research_center-iran-bombed

[https://lb1-s245-pub.pressidium.com/\\$s/science/find?PPT=how_do_you_make_your_voice_deeper](https://lb1-s245-pub.pressidium.com/$s/science/find?PPT=how_do_you_make_your_voice_deeper)

https://lb1-s245-pub.pressidium.com/~g/ebook/dl?BOOK=lump-in-back-of-neck_by_hairline

[https://lb1-s245-pub.pressidium.com/\\$x/edu/go?ITUNE=lab_diagnosis-of_typhoid](https://lb1-s245-pub.pressidium.com/$x/edu/go?ITUNE=lab_diagnosis-of_typhoid)

https://lb1-s245-pub.pressidium.com/~u/chap/data?PAGE=feeling_better-meaning_in_hindi

https://lb1-s245-pub.pressidium.com/^u/chap/link?PPT=how_long_is_20-weeks_in_months