

Aching Pain In Armpit

The three types of plague are the result of the route of infection: bubonic plague, septicemic plague, and pneumonic plague. Bubonic plague is mainly spread by infected fleas from small animals. It may also result from exposure to the body fluids from a dead plague-infected animal. Mammals such as rabbits, hares, and some cat species are susceptible to bubonic plague, and typically die upon contraction. In the bubonic form of plague, the bacteria enter through the skin through a flea bite and travel via the lymphatic vessels to a lymph node, causing it to swell. Diagnosis is made by finding the bacteria in the blood, sputum, or fluid from lymph nodes. f1b72c9658

Hodgkin lymphoma As it affects a subgroup of white blood cells called lymphocytes, it is a lymphoma. Often, non-painful enlarged lymph nodes occur in the neck, under the arm, or in the groin. Back pain: Nonspecific back pain (pain that cannot be localised Hodgkin lymphoma (HL) is a cancer where multinucleated Reed–Sternberg cells (RS cells) are present in the lymph nodes. Symptoms may include fever, night sweats, and weight loss. The condition was named after the English physician Thomas Hodgkin, who first described it in 1832. People affected may feel tired or be itchy. The pain has been described as either sharp and stabbing or dull and aching. involved lymph node f1b72c9658

Cat-scratch disease Symptoms typically include a non-painful bump or blister at the site of injury and painful and swollen lymph nodes. Symptoms typically begin within 3–14 days following infection. appetite, and aches. It may take Cat-scratch disease (CSD) is an infectious disease that most often results from a scratch or bite of a cat. Other associated complaints include headache, chills, muscular pains, joint pains, arthritis, backache, and abdominal pain. People may feel tired, have a headache, or a fever f1b72c9658

Lyme disease For some patients, recovery may not be immediate or complete, resulting in long-term effects. Like Lyme, shingles often begins with headache, fever, and fatigue, which are followed by pain or numbness Lyme disease, also known as Lyme borreliosis, is a tick-borne disease caused by species of Borrelia bacteria, transmitted by blood-feeding ticks in the genus Ixodes. the armpit, groin, abdomen, or back of the knee. Infection is treatable with antibiotics. Most treated patients experience a full recovery. Early detection and prompt treatment are associated with more favorable outcomes. It is the most common disease spread by ticks in the Northern Hemisphere. Infections are most common in the spring and early summer f1b72c9658

== Signs and symptoms == f1b72c9658 TOS may result from trauma, repetitive arm movements, tumors, pregnancy, or anatomical variations such as a cervical rib. The diagnosis may be supported by nerve conduction studies and medical imaging. TOS is difficult to diagnose and there are many potential differential diagnoses as well as other diseases that are often co-occurrent with TOS. f1b72c9658

Breast implant In reconstructive plastic surgery, breast implants can be placed to restore a natural-looking breast following a mastectomy, to correct congenital defects and deformities of the chest wall or, cosmetically, to enlarge the appearance of the breast through breast augmentation surgery. the chest tissues to elsewhere in the woman's body, most clinical complications are limited to the breast and armpit areas, usually manifested as granulomas A breast implant is a prosthesis used to change the size, shape, and contour of a person's breast f1b72c9658

Pandemrix was found to be associated with an increased risk of narcolepsy following investigations by Swedish and Finnish health authorities and had higher rates of adverse events than other vaccines for H1N1. This resulted in several legal cases. Stanford University studies suggested that narcolepsy is an autoimmune disease and that it appears to be triggered by upper airway respiratory infections. f1b72c9658 A rare complication associated with textured surfaced implants and polyurethane foam-covered implants is a type of lymphoma (cancer of the immune system) known as breast implant-associated anaplastic large-cell lymphoma (BIA-ALCL). f1b72c9658 The changes in fibrocystic breast disease are characterised by the appearance of fibrous tissue and a lumpy, cobblestone texture in the breasts. These lumps are smooth with well defined edges, and free-moving regarding adjacent structures. These lumps can... f1b72c9658 Abscess – A collection of pus that has built up within the tissue of the body. f1b72c9658 == A == f1b72c9658 Abdominal external oblique muscle – The largest, and outermost, of the three flat muscles of the lateral anterior abdominal wall. f1b72c9658 Accommodation – the process by which the eye focuses on an object. f1b72c9658

Bubonic plague Occasionally, swollen lymph nodes, known as "buboes", may break open. found in the groin, but may occur in the armpits or neck, most often near the site of the initial infection (bite or scratch) Pain may occur in the area Bubonic plague is one of three types of plague caused by the bacterium Yersinia pestis. These symptoms include fever, headaches, and vomiting, as well as swollen and painful lymph nodes occurring in the area closest to where the bacteria entered the skin. One to seven days after exposure to the bacteria, flu-like symptoms develop. Acral necrosis, the dark discoloration of skin, is another symptom f1b72c9658

Abductor pollicis brevis muscle – A muscle in the hand that abducts (straightens) the thumb. f1b72c9658 The most common sign of infection is an expanding red rash, known as erythema migrans (EM), which appears at the site of the tick bite about a week afterwards. The rash is typically neither itchy nor painful. Approximately 70–80% of infected people develop a rash. Other early symptoms may include fever, headaches and tiredness. If untreated, symptoms may include loss of the ability to move one or both sides of the face, joint pains, severe headaches with neck stiffness or heart palpitations. Months to years later, repeated episodes of joint pain and swelling may occur. Occasionally, shooting pains or tingling in the arms and... f1b72c9658 Risk factors include an early age at first

menstrual period and either having children at a late age or not at all. It is not a disease but represents normal breast changes. Diagnosis involves ruling out breast cancer. Fibrocystic changes include fibroadenomas, fibrosis, papillomas of the breast, and apocrine-type metaplasia. f1b72c9658 Initial treatment for the neurogenic type is with exercises to strengthen the chest muscles and improve posture. NSAIDs such as naproxen may be used for pain. Surgery is typically done for the arterial and venous types and a decompression for the neurogenic type... f1b72c9658 Abductor pollicis longus muscle – One of the extrinsic muscles of the hand. Its major function is to abduct the thumb at the wrist. f1b72c9658 The two major types of Hodgkin lymphoma are classical Hodgkin lymphoma and nodular lymphocyte-predominant Hodgkin lymphoma. About half of cases of Hodgkin lymphoma are due to Epstein-Barr virus (EBV) and these are generally the classic form. Other risk factors include a family history of the condition and having HIV/AIDS. Diagnosis is conducted by confirming the presence of cancer and identifying Reed-Sternberg cells in lymph node biopsies. The virus-positive cases are classified as a form of the Epstein-Barr virus-associated lymphoproliferative diseases. f1b72c9658

Glossary of medicine back pain may be acute, sub-acute, or chronic depending on the duration. The pain may be characterized as a dull ache, shooting or piercing pain, or a This glossary of medicine includes definitions of medical terminology and other terms pertaining to medicine and related fields f1b72c9658

Pandemrix The vaccine was developed by GlaxoSmithKline (GSK) and patented in September 2006. Very common Headache Tiredness Pain, redness, swelling or a hard lump at the injection site Fever Aching muscles, joint pain Common Warmth, itching or bruising Pandemrix is an influenza vaccine for influenza pandemics, such as the 2009 flu pandemic f1b72c9658

Hodgkin lymphoma may be treated with chemotherapy, radiation therapy, and stem-cell transplantation. The choice of treatment often depends on... f1b72c9658 == Signs and symptoms == f1b72c9658 Management may involve education about the condition, using a well fitting bra, and pain medication, if needed. Occasionally danazol or tamoxifen may be used for pain. It is estimated that up to 60% of women are affected, most commonly between the ages of 30 and 50 years. f1b72c9658 Aarskog-Scott syndrome – (AAS) A rare, inherited (X-linked) disease characterized by short stature, facial abnormalities, skeletal and genital anomalies. f1b72c9658 Prevention is through public health measures such as not handling dead... f1b72c9658 In 2018, a study team including Centers for Disease Control and Prevention (CDC) scientists analyzed and published vaccine safety data on adjuvanted pH1N1 vaccines (arenaprix-AS03, Focetria-MF59, and Pandemrix... f1b72c9658 The lesser weever grows up to 27.7 cm (10.9 in) long, but generally less than 10 cm (3.9 in), with an elongated body. Its color can be described as greyish-brown on the back and silvery-white on the sides. It has no spines in front of its eyes. f1b72c9658

Fibrocystic breast changes They are often found in the upper, outer sections of the breast (nearest to the armpit), but can Fibrocystic breast changes is a condition of the breasts where there may be pain, breast cysts, and breast masses. irregularities in the breast associated with the condition. The breasts may be described as "lumpy" or "doughy". Symptoms may worsen during certain parts of the menstrual cycle due to hormonal stimulation. These are normal breast changes, not associated with cancer f1b72c9658

Abdomen – The part of the body between the chest and pelvis, which contains most of the tubelike organs of the digestive tract, as well as several solid organs. f1b72c9658 Cat-scratch disease is caused by the bacterium *Bartonella henselae*, which is believed to be spread by the cat's saliva. Young cats pose a greater risk than older cats. The disease can be passed to a human from dog scratches or bites, but this is relatively rare. Diagnosis is generally based on symptoms. Confirmation is possible by blood tests. f1b72c9658 Complications of implants may include breast pain, rashes, skin changes, infection, rupture, cosmetic changes to the breasts such as asymmetry and hardness, and a fluid collection around the breast. f1b72c9658 The primary treatment is supportive. Antibiotics speed healing and are recommended in those with severe disease or immune system problems. Recovery typically occurs within 4 months but can require a year. It affects approximately 1 in 10,000 people. It is more common in children. f1b72c9658 There are four general types of breast implants, defined by their filler material: saline solution, silicone gel, structured and composite filler. The saline implant has an elastomer silicone shell filled with sterile saline solution during surgery; the silicone implant has an elastomer silicone shell pre-filled with viscous silicone gel; structured implants use nested elastomer silicone... f1b72c9658 The vaccine was one of the H1N1 vaccines approved for use by the European Commission in September 2009, upon the recommendations of the European Medicines Agency (EMA). The vaccine is only approved for use when an H1N1 influenza pandemic has been officially declared by the World Health Organization (WHO) or European Union (EU). The vaccine was initially developed as a pandemic mock-up vaccine using an H5N1 strain. f1b72c9658 Abdominal internal oblique muscle – A muscle of the abdominal wall, which lies below the external oblique and just above the transverse abdominal muscles. f1b72c9658

Lesser weever e. those in the groin (when the sting is on the sole of the foot), or those in the armpit (if the sting is on the hands). Lesser weevs may sting swimmers badly if disturbed in the water, and fishermen when they clean their fishing nets. Common The lesser weever (*Echiichthys vipera*) is a venomous weever of the family Trachinidae, in the order Perciformes, and the class Actinopterygii. tributary lymph nodes, i. It is generally found on the sandy sea beds of the open sea, near the shore f1b72c9658

Thoracic outlet syndrome The neurogenic type is the most common and presents with pain, weakness, paraesthesia, and occasionally loss of muscle at the base of the thumb. The arterial type results in pain, coldness, and pallor of the arm. There are three main types: neurogenic, venous, and arterial. The venous type results in swelling, pain, and possibly a bluish coloration of the arm. in which there is compression of the nerves, arteries, or veins in the superior thoracic aperture, the passageway from the lower neck to the armpit, Thoracic outlet syndrome (TOS) is a condition in which there is compression of the nerves, arteries, or veins in the superior thoracic aperture, the passageway from the lower neck to the armpit, also known as the thoracic outlet f1b72c9658

Lesser weever fish occur in the eastern Atlantic from the North Sea around the British Isles to Morocco and Madeira, and in the Mediterranean. It is typically found resting on the bottom, partially buried

with its eyes and tip of the first dorsal fin exposed. f1b72c9658 == Habitat == f1b72c9658 Accommodation reflex - a reflex action of the eye, measured as a response to focusing on a near... f1b72c9658

https://lb1-s245-pub.pressidium.com/=b/lib/visit?PPT=dolor_en-boca_estomago_y-espalda
[https://lb1-s245-pub.pressidium.com/\\$r/ref/goto?PAGE=how_many_mils_is-in-a_tspoon](https://lb1-s245-pub.pressidium.com/$r/ref/goto?PAGE=how_many_mils_is-in-a_tspoon)
https://lb1-s245-pub.pressidium.com/@t/doc/data?CHAPTER=how_long_can_ground-beef_be_refrigerated
https://lb1-s245-pub.pressidium.com/~d/pdf/url?RTF=what_is_a_white-collar_crime
https://lb1-s245-pub.pressidium.com/-u/lib/dl?CHAPTER=can_get_your_period-if_you-are_pregnant
https://lb1-s245-pub.pressidium.com/+f/book/key?DOC=patagonia_where-is_it
[https://lb1-s245-pub.pressidium.com/\\$y/course/key?PPT=popped_blood_vessel_in_eye_treatment](https://lb1-s245-pub.pressidium.com/$y/course/key?PPT=popped_blood_vessel_in_eye_treatment)
https://lb1-s245-pub.pressidium.com/-q/pdf/file?PAGE=can-you_take-allegria_and_benadryl
https://lb1-s245-pub.pressidium.com/~j/short/url?KINDLE=nerve_supply_of_larynx
[https://lb1-s245-pub.pressidium.com/\\$o/short/key?EBOOK=trapezius_muscle_stretching-exercises](https://lb1-s245-pub.pressidium.com/$o/short/key?EBOOK=trapezius_muscle_stretching-exercises)
https://lb1-s245-pub.pressidium.com/!h/ebook/niche?PPT=gabapentin-for_nerve_pain
https://lb1-s245-pub.pressidium.com/-q/ebook/key?EPDF=rinne_and_weber-test