

Aching Lower Abdomen Pregnancy

The majority of back pain is nonspecific and idiopathic. Common underlying mechanisms include degenerative or traumatic changes to the discs and facet joints, which can then cause secondary pain in the muscles and nerves and referred pain to the bones, joints and extremities. Diseases and inflammation of the gallbladder, pancreas, aorta and kidneys may also cause referred pain in the back. Tumors of the vertebrae, neural tissues and adjacent structures can also manifest as back pain. 7d096c2866

Varicocele blood from the testicles back to the heart. In males, this plexus of veins drains blood from the testicles back to the heart. The vessels originate in the abdomen and course down through the inguinal canal as part of the spermatic cord A varicocele is an abnormal enlargement of the pampiniform venous plexus in the scrotum. The vessels originate in the abdomen and course down through the inguinal canal as part of the spermatic cord on their way to the testis 7d096c2866

== Signs and symptoms == 7d096c2866

Pelvic congestion syndrome The condition may cause chronic pain, such as a constant dull ache, which can be worsened by standing or sex. Pain in the legs or lower back may also occur. to be due to enlarged veins in the lower abdomen. The condition may cause chronic pain, such as a constant dull ache, which can be worsened by standing Pelvic congestion syndrome, also known as pelvic vein incompetence, is a long-term condition believed to be due to enlarged veins in the lower abdomen 7d096c2866

Sacroiliac joint The human body has two sacroiliac joints, one on the left and one on the right, that often match each other but are highly variable from person to person. The joint is strong, supporting the entire weight of the upper body. the sacrum flexes. The ligaments of the sacroiliac joint loosen during pregnancy due to the hormone relaxin; this loosening, along with that of the related The sacroiliac joint or SI joint (SIJ) is the joint between the sacrum and the ilium bones of the pelvis, which are connected by strong ligaments. In humans, the sacrum supports the spine and is supported in turn by an ilium on each side. It is a synovial plane joint with irregular elevations and depressions that produce interlocking of the two bones 7d096c2866

Back pain Also, the hormone relaxin is released during pregnancy, which softens the structural tissues in the pelvis and lower back to prepare Back pain (Latin: dorsalgia) is pain felt in the back. weight on the abdomen. An episode of back pain may be acute, subacute or chronic depending on the duration. The lumbar region is the most commonly affected area. Discomfort can radiate to the arms and hands as well as the legs or feet, and may include numbness or weakness in the legs and arms. It may be classified as neck pain (cervical), middle back pain (thoracic), lower back pain (lumbar) or coccydynia (tailbone or sacral pain) based on the segment affected. The pain may be characterized as a dull ache, shooting or piercing pain or a burning sensation 7d096c2866

Varicoceles are often asymptomatic and may be discovered incidentally to a physical examination or during an evaluation for male infertility. When palpable, the enlargement of veins above the testicle is most commonly left-sided (80–90% of cases). Right-sided and bilateral varicoceles also occur; an isolated right-sided varicocele is rare and may prompt investigation for an abdominal mass compressing the vena cava. 7d096c2866 False pregnancy has a prominent psychiatric component as well as physical manifestations of pregnancy. It can be caused by trauma (either physical or mental), a chemical imbalance of hormones, and some medical conditions. Contributing psychological factors include a strong desire for pregnancy or misinterpretation of objective bodily sensations. Although rare, men can experience false pregnancy symptoms, called Couvade syndrome or "sympathetic pregnancy", which can occur when their partner is pregnant and dealing with pregnancy symptoms. Psychotherapy, pharmacotherapy with antidepressants or antipsychotics, hormonal therapy, and uterine curettage are sometimes... 7d096c2866 == Structure == 7d096c2866

Childbirth in Ghana For example, the Akan may carry akuaba dolls, a fertility symbol, during pregnancy to ensure that they will give birth to a healthy and beautiful baby that resembles the doll's exaggerated features. Therefore, women may seek guidance from a religious or spiritual diviner to protect their fetus or to increase their chances of conceiving. Pregnant women are often given special privileges and are considered to be beautiful, fragile, and vulnerable to evil spirits. example, the Akan may carry akuaba dolls, a fertility symbol, during pregnancy to ensure that they will give birth to a healthy and beautiful baby that Childbirth in Ghana is often seen as a joyous occasion in Ghanaian society, as children represent wealth, status, and the continuation of a lineage 7d096c2866

Many varicoceles are asymptomatic, but some cause a dull ache or a feeling of heaviness in the scrotum. Varicoceles are the most common correctable cause of male infertility, found in approximately 35–44% of men with primary infertility. They are also increasingly recognized as a cause of reduced testicular endocrine function, including lower testosterone levels (hypogonadism). Varicoceles occur in around 15% of all men. 7d096c2866 == Signs and symptoms == 7d096c2866 Hemoscrotum can follow trauma (such as a straddle injury) or can be a complication of surgery. It is often accompanied by testicular pain. It has been reported in patients... 7d096c2866 Back pain is common; approximately nine of ten adults experience it at

some point in their lives, and five in ten working... 7d096c2866 A scrotal hematocoele is also called a hemoscrotum (or haemoscrotum in British English). Scrotal masses are abnormalities in the bag of skin hanging behind the penis (scrotum). The scrotum contains the testicles and related structures that produce, store and transport sperm and male sex hormones. 7d096c2866 == Types == 7d096c2866

Varices Varices can occur in various locations throughout the body including the legs, esophagus, stomach, among others. : varices) is an abnormally dilated blood vessel with a tortuous course. with visibly dilated veins on the lower extremities. They can also present with symptoms such as Leg heaviness Leg aching Itching or burning Symptoms worse A varix (pl. They are the result of increased venous pressure, typically due to increased peripheral pressure or portal hypertension. Varices usually occur in the venous system, but may also occur in arterial or lymphatic vessels 7d096c2866

A scrotal mass is a lump or bulge that can be felt in the scrotum. The scrotum is the sac that contains the testicles. A scrotal mass can be noncancerous (benign) or cancerous (malignant). Benign scrotal masses will include hematocoele which is a blood collection in the scrotum. 7d096c2866 Examples of varices include: 7d096c2866 Early treatment options include medroxyprogesterone or nonsteroidal anti-inflammatory drugs (NSAIDs). Surgery to block the varicose veins may also be done. About 30% of women of reproductive age reporting pelvic pain are affected. It is believed to be the cause of about a third of chronic pelvic pain cases. While pelvic venous insufficiency was identified in the 1850s it was only linked with pelvic pain in the 1940s. 7d096c2866

False pregnancy The mistaken impression that one is pregnant includes signs and symptoms such as tender breasts with secretions, abdominal growth, delayed menstrual periods, and subjective feelings of a moving fetus. the appearance of a distended abdomen, and the resulting swelling can remain for months. Examination, ultrasound, and pregnancy tests can be used to rule out false pregnancy. After women with false pregnancy are placed under anesthesia, False pregnancy (or pseudocyesis, from Ancient Greek pseudes 'false' and kyesis 'pregnancy') is the appearance of clinical or subclinical signs and symptoms associated with pregnancy although the individual is not physically carrying a fetus 7d096c2866

Physical symptoms may... 7d096c2866 While the condition is believed to be due to blood flowing back into pelvic veins as a result of faulty valves in the veins, this hypothesis is not certain. The condition may occur or worsen during pregnancy. The presence of estrogen is believed to be involved in the mechanism. Diagnosis may be supported by ultrasound, CT scan, MRI, or laparoscopy. 7d096c2866

Hematocoele Hematocoeles are rare, making them harder to diagnose and treat. Hematocoeles can also occur in the abdominal cavity and other body cavities. They are very common especially as slowly growing masses in the scrotum usually in men older than 50 years. The term most commonly refers to the collection of blood in the tunica vaginalis around the testes, known as a scrotal hematocoele. Unusual lump Sudden pain Dull aching pain or feeling heavy in the scrotum Pain radiating throughout the groin, abdomen, or lower back Tender, swollen, or hardened A hematocoele is a collections of blood in a body cavity or potential space 7d096c2866

Women with this condition experience a constant pain that may be dull and aching, but is occasionally... 7d096c2866 Most ovarian cysts are related to ovulation, being either follicular cysts or corpus luteum cysts. Other types include cysts due to endometriosis, dermoid cysts, and cystadenomas. Many small cysts occur in both ovaries in polycystic ovary syndrome (PCOS). Pelvic inflammatory disease may also result in cysts. Rarely, cysts may be a form of ovarian cancer. Diagnosis is undertaken by pelvic examination with a pelvic ultrasound or other testing used to gather further details. 7d096c2866 Due to the cultural implications and the importance of bearing children, infertility in Ghana can be devastating. Throughout the years, Ghanaians have believed that both physical and spiritual ailments are the cause of infertility. Some people believe that a womb could be too hot or too cold to support a developing baby. Others believe the cause of their infertility to be witchcraft, and this belief is often supported by traditional priests who assert that the woman can be rid of a witch's curse and be allowed to conceive if the priest performs a rite in which he... 7d096c2866

Ovarian cyst possible not to experience any symptoms: Abdominal pain. Uterine bleeding. They usually cause no symptoms, but occasionally they may produce bloating, lower abdominal pain, or lower back pain. This may result in vomiting or feeling faint, and even cause headaches. If the cyst either breaks open or causes twisting of the ovary, it may cause severe pain. The majority of cysts are harmless. An ovarian cyst is a fluid-filled sac within the ovary. Dull aching pain within the abdomen or pelvis, especially during intercourse 7d096c2866

Common causes of pain in the abdomen include gastroenteritis and irritable bowel syndrome. About 15% of people have a more serious underlying condition such as appendicitis, leaking or ruptured abdominal aortic aneurysm, diverticulitis, or ectopic pregnancy. In a third of cases, the exact cause is unclear. 7d096c2866

Abdominal pain Since the abdomen contains most of the body's vital organs, it can be an indicator of a wide variety of diseases. Given that, approaching the examination of a person and planning of a differential diagnosis is extremely important. A dull or aching pain may also be felt due to Abdominal pain, also known as a stomach ache, is a symptom associated with both non-serious and serious medical issues. cause of persistent dull or aching abdominal pain is edema or distention of the wall of a hollow viscus 7d096c2866

Varicose veins are the most common type of varices. They are the enlargement of superficial veins in the legs with increased pressure due to various risk factors. Approximately 20-30% of adults in the U.S. have varicose veins and more often occurs in women and the elderly. Gastrointestinal varices are another prevalent type, including esophageal and gastric varices, and are a health concern due to risk for future hemorrhage. 7d096c2866 Often, cysts are simply observed over time. If they cause pain, medications such as paracetamol (acetaminophen) or ibuprofen may be used. Hormonal birth control may be used to prevent further cysts in those who are frequently affected. However, evidence does not support birth control as a treatment of current cysts. If they do not go away after several... 7d096c2866 == Infertility == 7d096c2866

[https://lb1-s245-pub.pressidium.com/\\$a/text/goto?ITUNE=how-to-strengthen_pelvic_floor-muscles](https://lb1-s245-pub.pressidium.com/$a/text/goto?ITUNE=how-to-strengthen_pelvic_floor-muscles)

https://lb1-s245-pub.pressidium.com/~x/slide/list?BOOK=como_desinflamar-los_ojos-por__llorar

https://lb1-s245-pub.pressidium.com/^m/doc/goto?PDF=urea_cycle_occurs_in

https://lb1-s245-pub.pressidium.com/_d/book/key?ITUNE=how_many_days_is_in_6-weeks

https://lb1-s245-pub.pressidium.com/!r/doc/go?RTF=mchc-blood_test-low__meaning

https://lb1-s245-pub.pressidium.com/=a/short/url?DOC=where_are_the-tropical-rainforests_found

https://lb1-s245-pub.pressidium.com/+g/ppt/goto?EPUB=difference_between_teaching_and_learning

https://lb1-s245-pub.pressidium.com/+c/slide/slug?KINDLE=o_que_e-ecocardiograma

https://lb1-s245-pub.pressidium.com/~k/pub/upload?PLAY=west_green_surgery-nhs_gp-doctor

[https://lb1-s245-pub.pressidium.com/\\$i/lib/goto?EPDF=tratamiento_de_la-anemia](https://lb1-s245-pub.pressidium.com/$i/lib/goto?EPDF=tratamiento_de_la-anemia)